

MATERIAL SAFETY DATA SHEET

R-134a (1, 1, 1, 2 – TETRAFLUOROETHANE)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name : FLORON 134a

TRADE NAMES/SYNONYMS: MTG MSDS 161; ETHANE, 1,1,1,2-TETRAFLUORO-; 1,2,2,2-TETRAFLUOROETHANE; R 134A; QUIK-FREEZE; E-SERIES(R) FREEZ-IT(R) 2000; C2H2F4; MAT76816

Substance : 1,1,1,2-TETRAFLUOROETHANE

CHEMICAL FAMILY: halogenated, aliphatic

Product Use : Refrigerant, Foam blowing agent, Aerosol

Manufacturers: SRF Ltd. Chemicals Business
V&PO: JHIWANA, Tehsil. TIJARA, Dist. - ALWAR,
RAJASTHAN, INDIA
Pin Code-301019

EMERGENCY CONTACT: (24 Hours/Day, 7 Days/Week)

Mr. Himanshu Shukla
01493-517838, 517839

2. COMPOSITION, INFORMATION ON INGREDIENTS

COMPONENT: 1,1,1,2-TETRAFLUOROETHANE

CAS NUMBER: 811-97-2

UN No. : 3159

PERCENTAGE: 100.0

3. HAZARDS IDENTIFICATION

NFPA RATINGS (SCALE 0-4): HEALTH=1 FIRE=0 REACTIVITY=0

EMERGENCY OVERVIEW:

COLOR: colorless

SRF LIMITED

Block-C, Sector-45
Gurgaon 122 003
Haryana, India
Tel: +91-124-4354400
Fax: +91-124-4354500
Website: www.srf.com

Regd. Office:
C-8 Commercial Complex
Safdarjung Development Area
New Delhi – 110 016, India

PHYSICAL FORM: gas

ODOR: sweet odor

MAJOR HEALTH HAZARDS: No significant target effects reported.

PHYSICAL HAZARDS: Containers may rupture or explode if exposed to heat.

POTENTIAL HEALTH EFFECTS: No significant target effects reported

INHALATION: Acute-Inhalation: very high concentration. May cause CNS depression w/dizziness, incoordination, drowsiness or Unconsciousness, irregular heartbeat, suffocation.

SHORT TERM EXPOSURE: frostbite

LONG TERM EXPOSURE: no information is available

SKIN CONTACT: Frostbite from contact w/liquid or escaping vapor

SHORT TERM EXPOSURE: frostbite

LONG TERM EXPOSURE: no information is available

EYE CONTACT: Frostbite from contact w/liquid or escaping vapor

SHORT TERM EXPOSURE: no information on significant adverse effects

LONG TERM EXPOSURE: no information is available

INGESTION: not considered a potential Route of exposure.

SHORT TERM EXPOSURE: no information on significant adverse effects

LONG TERM EXPOSURE: no information is available

4. FIRST AID MEASURES

INHALATION: If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

SKIN CONTACT: If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105- 115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

EYE CONTACT: Flush eyes with plenty of water.

INGESTION: If a large amount is swallowed, get medical attention.

NOTE TO PHYSICIAN: For inhalation, consider oxygen.

5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARDS: Negligible fire hazard. Containers may rupture or explode if exposed to heat.

EXTINGUISHING MEDIA: Carbon dioxide, regular dry chemical

Large fires: Use regular foam or flood with fine water spray.

FIRE FIGHTING: Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For tank, rail car or tank truck, evacuation radius: 800 meters (1/2 mile). Use extinguishing

SRF LIMITED

Block-C, Sector-45

Gurgaon 122 003

Haryana, India

Tel: +91-124-4354400

Fax: +91-124-4354500

Website: www.srf.com

Regd. Office:

C-8 Commercial Complex

Safdarjung Development Area

New Delhi – 110 016, India



agents appropriate for surrounding fire. Cool containers with water spray until well after the fire is out. Apply water from a protected location or from a safe distance. Do not get water directly on material. Reduce vapors with water spray. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Consider downwind evacuation if material is leaking.

AUTOIGNITION: >1382 F (>750 °C)

6. ACCIDENTAL RELEASE MEASURES

OCCUPATIONAL RELEASE:

Stop leak if possible without personal risk. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

7. HANDLING AND STORAGE

STORAGE: Store and handle in accordance with all current regulations and standards. Avoid contact with light. Store below 49 C. Do not puncture or burn containers, even when empty. Keep separated from incompatible substances.

HANDLING :

HFC-134a should not be mixed with air for leak testing or used with air for any other purpose above atmospheric pressure. Contact with chlorine or other strong Oxidizing agents should be avoided

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS:

1,1,1,2-TETRAFLUOROETHANE:

1000 ppm, TWA (8 Hrs.)

VENTILATION: Provide local exhaust ventilation system. Ventilation equipment should be explosion resistant if explosive concentrations of material are present. Ensure compliance with applicable exposure limits.

EYE PROTECTION: For the gas: Eye protection not required, but recommended.

For the liquid: Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

CLOTHING: Wear appropriate chemical resistant clothing.

GLOVES: Wear insulated gloves.

RESPIRATOR: Under conditions of frequent use or heavy exposure, respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use.

SRF LIMITED

Block-C, Sector-45
Gurgaon 122 003
Haryana, India
Tel: +91-124-4354400
Fax: +91-124-4354500
Website: www.srf.com

Regd. Office:
C-8 Commercial Complex
Safdarjung Development Area
New Delhi – 110 016, India



Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive pressure mode.

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

For Unknown Concentrations or Immediately Dangerous to Life or Health -

Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.

Any self-contained breathing apparatus with a full facepiece.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Gas

APPEARANCE: Clear

COLOR: Colorless

ODOR: Sweet odor

MOLECULAR WEIGHT: 102.03

MOLECULAR FORMULA: F-C-H₂-C-F₃

BOILING POINT: -17 F (-27 C)

FREEZING POINT: -158 C

VAPOR PRESSURE: 4963 mmHg @ 25 C

VAPOR DENSITY (air=1): 3.18

SPECIFIC GRAVITY: < 1.22

DENSITY: 1.21 g/mL @ 25 C

WATER SOLUBILITY: 0.15% @ 25 C

PH: Neutral

VOLATILITY: 100%

ODOR THRESHOLD: Not available

EVAPORATION RATE: > 1 as compare to CCl₄ =1

COEFFICIENT OF WATER/OIL DISTRIBUTION: Not applicable

10. STABILITY AND REACTIVITY

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

INCOMPATIBILITIES: metals, oxidizing materials

HAZARDOUS DECOMPOSITION:

Thermal decomposition products: halogenated compounds, oxides of carbon

POLYMERIZATION: Will not polymerize.

11. TOXICOLOGICAL INFORMATION

SRF LIMITED

Block-C, Sector-45

Gurgaon 122 003

Haryana, India

Tel: +91-124-4354400

Fax: +91-124-4354500

Website: www.srf.com

Regd. Office:

C-8 Commercial Complex

Safdarjung Development Area

New Delhi – 110 016, India

1,1,1,2-TETRAFLUOROETHANE:
IMMEDIATE (ACUTE EFFECTS)
LC 50 : 4 Hr. (rat) > 5000, 000 ppm

DELAYED (CHRONIC EFFECT)
Not mutagenic in four tests.
Teratogenic NOEL (Rat and Rabbit) : 40,000 ppm
Subchronic inhalation (rat) NOEL –50000 ppm
Chronic NOEL –10000 ppm

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: heart or cardiovascular disorders, heart problems, immune system disorders or allergies, respiratory disorders, skin disorders and allergies

ADDITIONAL DATA: Stimulants such as epinephrine may induce ventricular fibrillation.

12. ECOLOGICAL INFORMATION

Degradability (BOD) : HFC-134a is a gas at room temperature, therefore, it is unlikely to remain in water.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations. Not a hazardous waste.

14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: Compressed gas, n.o.s. (1,1,1,2-tetrafluoroethane)
ID NUMBER: UN3159
HAZARD CLASS OR DIVISION: 2.2
LABELING REQUIREMENTS: 2.2
CANADIAN TRANSPORTATION OF DANGEROUS GOODS:
SHIPPING NAME: Compressed gas, n.o.s. (1,1,1,2-TETRAFLUOROETHANE)
UN NUMBER: UN3159
CLASS: 2.2

15. REGULATORY INFORMATION

U.S. REGULATIONS:
CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4): Not regulated.

SRF LIMITED

Block-C, Sector-45
Gurgaon 122 003
Haryana, India
Tel: +91-124-4354400
Fax: +91-124-4354500
Website: www.srf.com

Regd. Office:
C-8 Commercial Complex
Safdarjung Development Area
New Delhi – 110 016, India



SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30): Not regulated.

SARA TITLE III SECTION 304 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.40): Not regulated.

SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):

ACUTE: No

CHRONIC: No

FIRE: No

REACTIVE: No

SUDDEN RELEASE: Yes

SARA TITLE III SECTION 313 (40 CFR 372.65): Not regulated.

OSHA PROCESS SAFETY (29CFR1910.119): Not regulated.

STATE REGULATIONS:

California Proposition 65: Not regulated.

CANADIAN REGULATIONS:

WHMIS CLASSIFICATION: Not determined.

NATIONAL INVENTORY STATUS:

U.S. INVENTORY (TSCA): Listed on inventory.

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CANADA INVENTORY (DSL/NDSL): Not determined.

16. OTHER INFORMATION

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.

SRF LIMITED

Block-C, Sector-45

Gurgaon 122 003

Haryana, India

Tel: +91-124-4354400

Fax: +91-124-4354500

Website: www.srf.com

Regd. Office:

C-8 Commercial Complex

Safdarjung Development Area

New Delhi – 110 016, India